

Safety Data Sheet

According to Regulation (EC) No 1907/2006

Good Sense Breakdown

Revision: 2018-07-08

Version: 05.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Good Sense Breakdown

1.2 Relevant identified uses of the substance or mixture and uses advised against Identified uses:

For professional and industrial use only. AISE-P305 - Sanitary cleaner. Manual process AISE-P306 - Sanitary cleaner. Spray and wipe manual process AISE-P411 - Carpet cleaner. Spray and brush manual process AISE-P607 - Drain cleaner. Manual process **Uses advised against:** Uses other than those identified are not recommended

1.3 Details of the supplier of the safety data sheet

Diversey Europe Operations BV, Maarssenbroeksedijk 2, 3542DN Utrecht, The Netherlands

Contact details

Diversey Ltd Weston Favell Centre, Northampton NN3 8PD, United Kingdom Tel: 01604 405311, Fax: 01604 406809 Regulatory Email: customerservice.uk@diversey.com

1.4 Emergency telephone number

For medical or environmental emergency only: call 0800 052 0185

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Eye Irrit. 2 (H319)

2.2 Label elements



Signal word: Warning.

Contains d-limonene (Limonene), 4-(4-hydroxy-4-methylpentyl)cyclohex-3-enecarbaldehyde (Hydroxyisohexyl 3-Cyclohexene Carboxaldehyde)

Hazard statements:

H319 - Causes serious eye irritation. EUH208 - May produce an allergic reaction.

2.3 Other hazards

No other hazards known

SECTION 3: Composition/information on ingredients

3.2 Mixtures

| Ingredient(s) | EC number | CAS number | REACH number | Classification | Notes | Weight percent |
|--------------------------|-----------|------------|------------------|---|-------|-------------------|
| alkyl alcohol ethoxylate | Polymer* | 68439-46-3 | [4] | Acute Tox. 4 (H302) Eye Dam. 1 (H318) Aquatic Chronic 3 (H412) | | 1-3 |
| d-limonene | 227-813-5 | 5989-27-5 | 01-2119529223-47 | Flam. Liq. 3 (H226) | | 0.1-1 |

| | Asp. Tox. 1 (H304) Skin Irrit. 2 (H315) Skin Sens. 1B (H317) Aquatic Acute 1 (H400) Aquatic Chronic 1 | |
|--|---|--|
| | (H410) | |

* Polymer.

Workplace exposure limit(s), if available, are listed in subsection 8.1.

[1] Exempted: ionic mixture. See Regulation (EC) No 1907/2006, Annex V, paragraph 3 and 4. This salt is potentially present, based on calculation, and included

[2] Exempted: included in Annex IV of Regulation (EC) No 1907/2006.
[3] Exempted: Annex V of Regulation (EC) No 1907/2006.

[4] Exempted: polymer. See Article 2(9) of Regulation (EC) No 1907/2006.

For the full text of the H and EUH phrases mentioned in this Section, see Section 16.

| SECTION 4: First aid measures | |
|---------------------------------------|--|
| A 1 Description of first aid measures | |

| 4.1 Description of first ald measures | |
|---------------------------------------|--|
| Inhalation: | Get medical attention or advice if you feel unwell. |
| Skin contact: | Wash skin with plenty of lukewarm, gently flowing water. If skin irritation occurs: Get medical advice or attention. |
| Eye contact: | Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If irritation occurs and persists, get medical attention. |
| Ingestion: | Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious person. Get medical attention or advice if you feel unwell. |
| Self-protection of first aider: | Consider personal protective equipment as indicated in subsection 8.2. |
| 4.2 Most important symptoms and effe | ects, both acute and delayed |

| 4.2 Most important symptoms and enc | 4.2 most important symptoms and chects, both acute and delayed | | | | |
|-------------------------------------|--|--|--|--|--|
| Inhalation: | No known effects or symptoms in normal use. | | | | |
| Skin contact: | No known effects or symptoms in normal use. | | | | |
| Eye contact: | Causes severe irritation. | | | | |
| Ingestion: | No known effects or symptoms in normal use. | | | | |
| | | | | | |

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture

No special hazards known.

5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

No special measures required.

6.2 Environmental precautions

Do not allow to enter drainage system, surface or ground water. Dilute with plenty of water.

6.3 Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, universal binders, sawdust).

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Measures to prevent fire and explosions:

No special precautions required.

Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

Advices on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless adviced by Diversey. Wash hands before breaks and at the end of workday. Wash face, hands and any exposed skin thoroughly after handling. Take off immediately all contaminated clothing. Use personal protective equipment as required. Use only with adequate ventilation. See chapter 8.2, Exposure controls / Personal protection.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Store in a closed container. Keep only in original packaging. For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits

Air limit values, if available:

Biological limit values, if available:

Additional exposure limits under the conditions of use, if available:

DNEL/DMEL and PNEC values

Human exposure

| DNEL oral exposure - Consumer (mg/kg bw) | | | | |
|--|-------------------------------|----------------------------------|------------------------------|---------------------------------|
| Ingredient(s) | Short term - Local effects | Short term - Systemic effects | Long term - Local effects | Long term - Systemic effects |
| alkyl alcohol ethoxylate | - | - | - | - |
| d-limonene | - | - | - | 4.76 |

DNEL dermal exposure - Worker

| Ingredient(s) | Short term - Local effects | Short term - Systemic effects (mg/kg bw) | Long term - Local effects | Long term - Systemic effects (mg/kg bw) |
|--------------------------|-------------------------------|---|------------------------------|--|
| alkyl alcohol ethoxylate | - | - | - | - |
| d-limonene | 0.222 mg/cm ² skin | - | No data available | - |

DNEL dermal exposure - Consumer

| Ingredient(s) | Short term - Local effects | Short term - Systemic effects (mg/kg bw) | Long term - Local effects | Long term - Systemic effects (mg/kg bw) |
|--------------------------|-------------------------------|---|------------------------------|--|
| alkyl alcohol ethoxylate | - | - | - | - |
| d-limonene | 0.111 mg/cm ² skin | - | No data available | - |

DNEL inhalatory exposure - Worker (mg/m³)

| Ingredient(s) | Short term - Local effects | Short term - Systemic effects | Long term - Local effects | Long term - Systemic effects |
|--------------------------|-------------------------------|----------------------------------|------------------------------|---------------------------------|
| alkyl alcohol ethoxylate | - | - | - | - |
| d-limonene | - | - | - | 33.3 |

DNEL inhalatory exposure - Consumer (mg/m³)

| Ingredient(s) | Short term - Local effects | Short term - Systemic effects | Long term - Local effects | Long term - Systemic effects |
|--------------------------|-------------------------------|----------------------------------|------------------------------|---------------------------------|
| alkyl alcohol ethoxylate | - | - | - | - |
| d-limonene | - | - | - | 8.33 |

Environmental exposure

| Ingredient(s) | Surface water, fresh (mg/l) | Surface water, marine (mg/l) | Intermittent (mg/l) | Sewage treatment plant (mg/l) |
|--------------------------|--------------------------------|---------------------------------|---------------------|----------------------------------|
| alkyl alcohol ethoxylate | - | - | - | - |
| d-limonene | 0.0054 | 0.00054 | - | 1.8 |

Environmental exposure - PNEC, continued

| Ingredient(s) | Sediment, freshwater (mg/kg) | Sediment, marine (mg/kg) | Soil (mg/kg) | Air (mg/m³) |
|--------------------------|---------------------------------|-----------------------------|--------------|-------------|
| alkyl alcohol ethoxylate | - | - | - | - |
| d-limonene | 1.32 | 0.13 | 0.262 | - |

8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section. Recommended safety measures for handling the undiluted product:

| Appropriate engineering controls: Appropriate organisational controls: | Provide a good standard of general ventilation. Avoid direct contact and/or splashes where possible. Train personnel. |
|---|---|
| Personal protective equipment | |
| Eye / face protection: | Safety glasses are not normally required. However, their use is recommended in those cases where splashes may occur when handling the product (EN 166). |
| Hand protection: | Rinse and dry hands after use. For prolonged contact protection for the skin may be necessary. |
| Body protection: | No special requirements under normal use conditions. |
| Respiratory protection: | Respiratory protection is not normally required. However, inhalation of vapour, spray, gas or aerosols should be avoided. |

Environmental exposure controls:

No special requirements under normal use conditions.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties Information in this section refers to the product, unless it is specifically stated that substance data is listed

Physical State: Liquid Colour: Hazy, Red Odour: Perfumed Odour threshold: Not applicable **pH**: ≈ 10 (neat) Melting point/freezing point (°C): Not determined Initial boiling point and boiling range (°C): Not determined Method / remark

Method / remark

ISO 4316 Not relevant to classification of this product See substance data

Not relevant to classification of this product

Not relevant to classification of this product

Upper limit

(% vol)

6.1

| Substance | data, | boiling | point | |
|-----------|-------|---------|-------|--|
| | | | | |

| Ingredient(s) | Value (°C) | Method | Atmospheric pressure (hPa) |
|--------------------------|---------------|------------------|-------------------------------|
| alkyl alcohol ethoxylate | > 232 | | |
| d-limonene | 175-178 | Method not given | 1013 |

Flash point (°C): Not applicable. Sustained combustion: Not applicable. (UN Manual of Tests and Criteria, section 32, L.2) Evaporation rate: Not determined Flammability (solid, gas): Not applicable to liquids Upper/lower flammability limit (%): Not determined

Ingredient(s)

d-limonene

Substance data, flammability or explosive limits, if available:

Method / remark

Lower limit

(% vol)

0.7

See substance data

Method / remark

OECD 109 (EU A.3)

See substance data

Substance data, vapour pressure

Vapour pressure: Not determined

| Ingredient(s) | Value (Pa) | Method | Temperature (°C) |
|--------------------------|---------------|------------------|---------------------|
| alkyl alcohol ethoxylate | 10 | | 37 |
| d-limonene | 190-230 | Method not given | 20 |

Vapour density: Not determined Relative density: ≈ 1.003 (20 °C) Solubility in / Miscibility with Water: Fully miscible

Substance data, solubility in water

| Ingredient(s) | Value (g/l) | Method | Temperature (°C) |
|--------------------------|----------------|------------------|---------------------|
| alkyl alcohol ethoxylate | Soluble | Method not given | |
| d-limonene | Insoluble | Method not given | 20 |

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

Autoignition temperature: Not determined Decomposition temperature: Not applicable. Method / remark

Viscosity: Not determined Explosive properties: Not explosive. Oxidising properties: Not oxidising.

9.2 Other information

Surface tension (N/m): Not determined Corrosion to metals: Not corrosive

Substance data, dissociation constant, if available:

SECTION 10: Stability and reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal storage and use conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

10.4 Conditions to avoid

None known under normal storage and use conditions.

10.5 Incompatible materials

Reacts with acids.

10.6 Hazardous decomposition products

None known under normal storage and use conditions.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Mixture data:.

Relevant calculated ATE(s):

ATE - Oral (mg/kg): >2000

Substance data, where relevant and available, are listed below:.

Acute toxicity

| Ingredient(s) | Endpoint | Value (mg/kg) | Species | Method | Exposure time (h) |
|--------------------------|----------|------------------|---------|------------------|----------------------|
| alkyl alcohol ethoxylate | LD 50 | > 300-2000 | Rat | Method not given | |
| d-limonene | LD 50 | 4400 - 5100 | Rat | Method not given | |

Acute dermal toxicity

| Ingredient(s) | Endpoint | Value | Species | Method | Exposure |
|--------------------------|----------|---------|---------|------------------|----------|
| | | (mg/kg) | | | time (h) |
| alkyl alcohol ethoxylate | LD 50 | > 2000 | Rabbit | Method not given | |
| d-limonene | LD 50 | > 5000 | Rabbit | Method not given | |

Acute inhalative toxicity

| Ingredient(s) | Endpoint | Value | Species | Method | Exposure |
|--------------------------|----------|-----------|---------|--------|----------|
| | | (mg/l) | | | time (h) |
| alkyl alcohol ethoxylate | | No data | | | |
| | | available | | | |
| d-limonene | | No data | | | |
| | | available | | | |

Irritation and corrosivity

| Skin irritation and corrosivity | | | | |
|---------------------------------|--------------|---------|------------------|---------------|
| Ingredient(s) | Result | Species | Method | Exposure time |
| alkyl alcohol ethoxylate | Not irritant | Rabbit | Method not given | |
| d-limonene | Irritant | Rabbit | Method not given | |

| Eye irritation and corrosivity | | | | |
|--------------------------------|---------------|---------|------------------|---------------|
| Ingredient(s) | Result | Species | Method | Exposure time |
| alkyl alcohol ethoxylate | Severe damage | Rabbit | Method not given | |

Not relevant to classification of this product Weight of evidence

| d-limonene | No data available | | |
|------------|-------------------|--|--|

Respiratory tract irritation and corrosivity

| Ingredient(s) | Result | Species | Method | Exposure time |
|--------------------------|-------------------|---------|--------|---------------|
| alkyl alcohol ethoxylate | Not irritating to | | | |
| | respiratory tract | | | |
| d-limonene | No data available | | | |

Sensitisation Sensitisation by skin contact

| Ingredient(s) | Result | Species | Method | Exposure time (h) |
|--------------------------|-----------------|------------|------------------|-------------------|
| alkyl alcohol ethoxylate | Not sensitising | Guinea pig | Method not given | |
| d-limonene | Sensitising | Guinea pig | Method not given | |

Sensitisation by inhalation

| Ingredient(s) | Result | Species | Method | Exposure time |
|--------------------------|-------------------|---------|--------|---------------|
| alkyl alcohol ethoxylate | No data available | | | |
| d-limonene | No data available | | | |

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction) Mutagenicity

| Ingredient(s) | Result (in-vitro) | Method (in-vitro) | Result (in-vivo) | Method (in-vivo) |
|--------------------------|--|----------------------|-------------------|---------------------|
| alkyl alcohol ethoxylate | No evidence for mutagenicity, negative | Method not | No data available | |
| | test results | given | | |
| d-limonene | No data available | | No data available | |

Carcinogenicity

| Ingredient(s) | Effect |
|--------------------------|--|
| alkyl alcohol ethoxylate | No evidence for carcinogenicity, negative test results |
| d-limonene | No data available |

Toxicity for reproduction

| Ingredient(s) | Endpoint | Specific effect | Value | Species | Method | Exposure | Remarks and other effects |
|--------------------------|----------|-----------------|----------------------|---------|--------|----------|---|
| | | | (mg/kg bw/d) | | | time | reported |
| alkyl alcohol ethoxylate | NOAEL | | > 250 | Rat | | | No known significant effects or critical hazards |
| d-limonene | | | No data available | | | | |

Repeated dose toxicity Sub-acute or sub-chronic oral toxicity

| Ingredient(s) | Endpoint | Value (mg/kg bw/d) | Species | Method | Exposure time (days) | Specific effects and organs affected |
|--------------------------|----------|-----------------------|---------|--------|-------------------------|---|
| alkyl alcohol ethoxylate | | No data available | | | | |
| d-limonene | | No data available | | | | |

Sub-chronic dermal toxicity

| Ingredient(s) | Endpoint | Value | Species | Method | Exposure | Specific effects and organs |
|--------------------------|----------|--------------|---------|--------------|-------------|-----------------------------|
| | | (mg/kg bw/d) | | | time (days) | affected |
| alkyl alcohol ethoxylate | NOAEL | 80 | | OECD 411 (EU | | |
| | | | | B.28) | | |
| d-limonene | | No data | | | | |
| | | available | | | | |

Sub-chronic inhalation toxicity

| Ingredient(s) | Endpoint | Value | Species | Method | Exposure | Specific effects and organs |
|--------------------------|----------|--------------|---------|--------|-------------|-----------------------------|
| | | (mg/kg bw/d) | | | time (days) | affected |
| alkyl alcohol ethoxylate | | No data | | | | |
| | | available | | | | |
| d-limonene | | No data | | | | |
| | | available | | | | |

Chronic toxicity

| Ingredient(s) | Exposure route | Endpoint | Value (mg/kg bw/d) | Species | Method | Exposure time | Specific effects and organs affected | Remark |
|--------------------------|-------------------|----------|-----------------------|---------|------------|------------------|---|--------|
| alkyl alcohol ethoxylate | | NOAEL | 80 | | Method not | | | |
| | | | | | given | | | |
| d-limonene | | | No data | | | | | |
| | | | available | | | | | |

STOT-single exposure

| Ingredient(s) | Affected organ(s) |
|--------------------------|-------------------|
| alkyl alcohol ethoxylate | Not applicable |

| d-limonene No data available |
|------------------------------|
|------------------------------|

STOT-repeated exposure

| Ingredient(s) | Affected organ(s) |
|--------------------------|-------------------|
| alkyl alcohol ethoxylate | Not applicable |
| d-limonene | No data available |

Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3. If relevant, see section 9 for dynamic viscosity and relative density of the product.

Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

SECTION 12: Ecological information

12.1 Toxicity

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

Aquatic short-term toxicity Aquatic short-term toxicity - fish

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time (h) |
|--------------------------|----------|-----------------|------------------------|-------------------|----------------------|
| alkyl alcohol ethoxylate | LC 50 | 5 - 7 | Fish | OECD 203 (EU C.1) | 96 |
| d-limonene | LC 50 | 0.72 | Pimephales promelas | OECD 203 (EU C.1) | 96 |

Aquatic short-term toxicity - crustacea

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time (h) |
|--------------------------|----------|-----------------|-------------------------|-------------------|----------------------|
| alkyl alcohol ethoxylate | EC 50 | 5.3 | Daphnia magna Straus | 92/69/EEC | 48 |
| d-limonene | EC 50 | 0.36 | Daphnia magna Straus | OECD 202 (EU C.2) | 48 |

Aquatic short-term toxicity - algae

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time (h) |
|--------------------------|----------|-----------------|---------------|-------------------|----------------------|
| alkyl alcohol ethoxylate | EC 50 | 1.4 - 47 | Not specified | 92/69/EEC | 72 |
| d-limonene | Er C 50 | 150 | Desmodesmus | OECD 201 (EU C.3) | 72 |
| | | | subspicatus | | |

Aquatic short-term toxicity - marine species

| Ingredient(s) | Endpoint | Value | Species | Method | Exposure |
|--------------------------|----------|-----------|---------|--------|-------------|
| | | (mg/l) | | | time (days) |
| alkyl alcohol ethoxylate | | No data | | | - |
| | | available | | | |
| d-limonene | | No data | | | - |
| | | available | | | |

| Impact on sewage plants - toxicity to bacteria | | | | | |
|--|----------|-----------|----------|------------------|----------|
| Ingredient(s) | Endpoint | Value | Inoculum | Method | Exposure |
| | | (mg/l) | | | time |
| alkyl alcohol ethoxylate | EC 50 | > 140 | Bacteria | Method not given | |
| d-limonene | | No data | | | |
| | | available | | | |

Aquatic long-term toxicity

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time | Effects observed |
|--------------------------|----------|----------------------|---------------|---------------------|------------------|------------------|
| alkyl alcohol ethoxylate | EC 10 | 8983 | Not specified | Method not given | 21 day(s) | |
| d-limonene | | No data available | | | | |

Aquatic long-term toxicity - crustacea

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time | Effects observed |
|--------------------------|----------|----------------------|------------------|---------------------|------------------|------------------|
| alkyl alcohol ethoxylate | | 2579 | Daphnia magna | Method not given | 21 day(s) | |
| d-limonene | | No data available | | | | |

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

| Ingredient(s) | Endpoint | Value | Species | Method | Exposure | Effects observed |
|--------------------------|----------|-----------|---------|--------|-------------|------------------|
| | | (mg/kg dw | | | time (days) | |
| | | sediment) | | | | |
| alkyl alcohol ethoxylate | | No data | | | - | |
| | | available | | | | |
| d-limonene | | No data | | | - | |
| | | available | | | | |

Terrestrial toxicity

Terrestrial toxicity - soil invertebrates, including earthworms, if available:

| Ingredient(s) | Endpoint | Value (mg/kg dw soil) | Species | Method | Exposure time (days) | Effects observed |
|--------------------------|----------|-----------------------------|---------|--------|-------------------------|------------------|
| alkyl alcohol ethoxylate | | No data | | | - | |
| | | available | | | | |
| d-limonene | | No data | | | - | |
| | | available | | | | |

Terrestrial toxicity - plants, if available:

| Ingredient(s) | Endpoint | Value (mg/kg dw soil) | Species | Method | Exposure time (days) | Effects observed |
|--------------------------|----------|-----------------------------|---------|--------|-------------------------|------------------|
| alkyl alcohol ethoxylate | | No data | | | - | |
| | | available | | | | |
| d-limonene | | No data | | | - | |
| | | available | | | | |

Terrestrial toxicity - birds, if available:

| Ingredient(s) | Endpoint | Value | Species | Method | Exposure time (days) | Effects observed |
|--------------------------|----------|-----------|---------|--------|-------------------------|------------------|
| alkyl alcohol ethoxylate | | No data | | | - | |
| | | available | | | | |
| d-limonene | | No data | | | - | |
| | | available | | | | |

Terrestrial toxicity - beneficial insects, if available:

| Ingredient(s) | Endpoint | Value (mg/kg dw soil) | Species | Method | Exposure time (days) | Effects observed |
|--------------------------|----------|-----------------------------|---------|--------|-------------------------|------------------|
| alkyl alcohol ethoxylate | | No data available | | | - | |
| | | avaliable | | | | |
| d-limonene | | No data | | | - | |
| | | available | | | | |

Terrestrial toxicity - soil bacteria, if available:

| Ingredient(s) | Endpoint | Value (mg/kg dw soil) | Species | Method | Exposure time (days) | Effects observed |
|--------------------------|----------|-----------------------------|---------|--------|-------------------------|------------------|
| alkyl alcohol ethoxylate | | No data | | | - | |
| | | available | | | | |
| d-limonene | | No data | | | - | |
| | | available | | | | |

12.2 Persistence and degradability

Abiotic degradation Abiotic degradation - photodegradation in air, if available:

Abiotic degradation - hydrolysis, if available:

Abiotic degradation - other processes, if available:

Biodegradation

| Ready biodegradabi | lity - | aerob | İC | conditions |
|--------------------|--------|-------|----|------------|
| | - | | | |

| Ingredient(s) | Inoculum | Analytical method | DT 50 | Method | Evaluation |
|--------------------------|----------|----------------------|-------------------|------------------|-----------------------|
| alkyl alcohol ethoxylate | | | 80% | Method not given | Readily biodegradable |
| d-limonene | | | 80 % in 28 day(s) | OECD 301D | Readily biodegradable |

Ready biodegradability - anaerobic and marine conditions, if available:

Degradation in relevant environmental compartments, if available:

12.3 Bioaccumulative potential

| Ingredient(s) | Value | Method | Evaluation | Remark |
|--------------------------|-------------------|--------|------------------------------------|--------|
| alkyl alcohol ethoxylate | 3.11 - 4.19 | | | |
| d-limonene | No data available | | High potential for bioaccumulation | |

Bioconcentration factor (BCF)

| Ingredient(s) | Value | Species | Method | Evaluation | Remark |
|--------------------------|-------|---------|------------------|------------------------------------|--------|
| alkyl alcohol ethoxylate | < 500 | | | | |
| d-limonene | 683.1 | | Method not given | High potential for bioaccumulation | |

12.4 Mobility in soil

| Ingredient(s) | Adsorption coefficient Log Koc | Desorption coefficient Log Koc(des) | Method | Soil/sediment type | Evaluation |
|--------------------------|--------------------------------------|---|--------|-----------------------|-------------------------------------|
| alkyl alcohol ethoxylate | No data available | | | | High potential for mobility in soil |
| d-limonene | No data available | | | | High potential for mobility in soil |

12.5 Results of PBT and vPvB assessment

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

12.6 Other adverse effects

No other adverse effects known.

SECTION 13: Disposal considerations

| 13.1 Waste treatment methods Waste from residues / unused products: | The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging material is suitable for energy recovery or recycling in line with local legislation. | | | |
|---|--|--|--|--|
| European Waste Catalogue: | 20 01 29* - detergents containing dangerous substances. | | | |
| Empty packaging Recommendation: Suitable cleaning agents: | Dispose of observing national or local regulations. Water, if necessary with cleaning agent. | | | |
| RECTION 44. Transport information | | | | |

SECTION 14: Transport information

- Land transport (ADR/RID), Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR)
- 14.1 UN number: Non-dangerous goods
- 14.2 UN proper shipping name: Non-dangerous goods

14.3 Transport hazard class(es): Non-dangerous goods

14.4 Packing group: Non-dangerous goods

14.5 Environmental hazards: Non-dangerous goods

14.6 Special precautions for user: Non-dangerous goods

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code: Non-dangerous goods

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations:

• Regulation (EC) No. 1907/2006 - REACH

Regulation (EC) No 1272/2008 - CLP

• Regulation (EC) No. 648/2004 - Detergents regulation

Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII): Not applicable.

UFI: RNF6-M0MS-D00F-K69J

Ingredients according to EC Detergents Regulation 648/2004

non-ionic surfactants, EDTA and salts thereof

perfumes, Phenoxyethanol, Limonene, Benzyl Salicylate, Hexyl Cinnamal, Linalool, Citronellol, Butylphenyl Methylpropional, Geraniol, Hydroxyisohexyl 3-Cyclohexene Carboxaldehyde

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture

SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

< 5 %

SDS code: MSDS7187

Version: 05.0

Revision: 2018-07-08

Reason for revision:

This data sheet contains changes from the previous version in section(s):, 2, 9

Classification procedure

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No 1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet. See section 9 for physical chemical properties, section 11 for toxicological information and section 12 for ecological information.

Full text of the H and EUH phrases mentioned in section 3:

• H226 - Flammable liquid and vapour.

- · H302 Harmful if swallowed.
- H303 May be harmful if swallowed.
 H304 May be fatal if swallowed and enters airways.
 H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H400 Very toxic to aquatic life.
- · H410 Very toxic to aquatic life with long lasting effects.
- H412 Harmful to aquatic life with long lasting effects.

Abbreviations and acronyms:

- AISE The international Association for Soaps, Detergents and Maintenance Products
- DNEL Derived No Effect Limit
- EUH CLP Specific hazard statement

- PBT Persistent, Bioaccumulative and Toxic
 PNEC Predicted No Effect Concentration
 REACH number REACH registration number, without supplier specific part vPvB - very Persistent and very Bioaccumulative
- ATE Acute Toxicity Estimate
- LD50 Lethal Dose, 50% / Median Lethal dose
- LC50 Lethal Concentration, 50% / Median Lethal Concentration
- EC50 effective concentration, 50% NOEL No observed effect level
- NOAEL No observed adverse effect level
- · OECD Organization for Economic Cooperation and Development

End of Safety Data Sheet