

## Safety Data Sheet

according to Regulation (EC) No. 453/2010

Date of issue: 29/05/2015 Revision date: - : Version: 1.0

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : NATIONWIDE C&C BIO 800-300-7500

Product code : 70840

Type of product : Detergent

Product group : Powder

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Intended for general public

Main use category : Consumer use Function or use category : Laundry detergents

#### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Senzora BV Sluisstraat 23 - 25

7411 AC Deventer - Nederland T +31 570 683333 - F +31 570 617126 info@senzora.nl - www.senzora.com

#### 1.4. Emergency telephone number

Country	Official advisory body	Address	Emergency number
UNITED KINGDOM	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ER London	0870 243 2241

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Eye Irrit. 2 H319

Full text of H-phrases: see section 16

## Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

Xi; R41 After having applied the method of Young, the product can be classified as; Not dangerous

Full text of R-phrases: see section 16

## Adverse physicochemical, human health and environmental effects

There are no typical symptoms and effects known. The powder may cause eye irritation. Inhalation of finely ground product may cause sensitization. For frequent contact with undiluted product may cause redness of the skin occur.

#### 2.2. Label elements

## Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS07

CLP Signal word : Warning

Hazard statements (CLP) : H319 - Causes serious eye irritation Precautionary statements (CLP) : P102 - Keep out of reach of children

P264 - Wash hands thoroughly after handling P302+P352 - IF ON SKIN: Wash with plenty of water

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing P337+P313 - If eye irritation persists: Get medical advice/attention P101 - If medical advice is needed, have product container or label at hand

29/05/2015 EN (English) 1/8

## Safety Data Sheet

according to Regulation (EC) No. 453/2010

#### 2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

Other hazards not contributing to the : Spilled material may present a slipping hazard.

classification

## **SECTION 3: Composition/information on ingredients**

#### 3.1. Substance

Not applicable

### 3.2. Mixture

Name	Product identifier	%	Classification according to Directive 67/548/EEC	
sodium carbonate	(CAS No) 497-19-8 (EC no) 207-838-8 (EC index no) 011-005-00-2 (REACH-no) 01-2119485498-19	15 - 30	Xi; R36	
SODIUM CARBONATE PEROXIDE	(CAS No) 15630-89-4 (EC no) 239-707-6 (REACH-no) 01-2119457268-30	5 - 15	O; R8 Xn; R22 Xi; R41	
SODIUM SILICATE	(CAS No) 1344-09-8 (EC no) 215-687-4	< 5	Xi; R41 Xi; R37/38	
C12-15 PARETH-7	(CAS No) 68131-39-5 (EC no) polymer (REACH-no) 02-2119548515-35	< 5	Xn; R22 Xi; R41	
SODIUM DODECYLBENZENESULFONATE	(CAS No) 68411-30-3 (EC no) 270-115-0 (REACH-no) 01-2119489428-22	< 5	Xi; R41 Xi; R38	
Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	
sodium carbonate	(CAS No) 497-19-8 (EC no) 207-838-8 (EC index no) 011-005-00-2 (REACH-no) 01-2119485498-19	15 - 30	Eye Irrit. 2, H319	
SODIUM CARBONATE PEROXIDE	(CAS No) 15630-89-4 (EC no) 239-707-6 (REACH-no) 01-2119457268-30	5 - 15	Ox. Sol. 3, H272 Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318	
SODIUM SILICATE	(CAS No) 1344-09-8 (EC no) 215-687-4	< 5	Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H335	
C12-15 PARETH-7	(CAS No) 68131-39-5 (EC no) polymer (REACH-no) 02-2119548515-35	< 5	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318 Aquatic Chronic 3, H412	
SODIUM DODECYLBENZENESULFONATE	(CAS No) 68411-30-3 (EC no) 270-115-0 (REACH-no) 01-2119489428-22	< 5	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 3, H412	
Name	Product identifier	Specific co	Specific concentration limits	
SODIUM CARBONATE PEROXIDE	(CAS No) 15630-89-4 (EC no) 239-707-6 (REACH-no) 01-2119457268-30	(C >= 25) Ey	(10 =< C < 25) Eye Irrit. 2, H319 (C >= 25) Eye Dam. 1, H318 (C >= 25) Acute Tox. 4 (Oral), H302	

Full text of R- and H-phrases: see section 16

## **SECTION 4: First aid measures**

4.1.	Descrip	tion of fi	rst aid mea	sures

First-aid measures general : Does not require any particular or specific measures. Handle in accordance with the usual hygiene rules.

First-aid measures after inhalation : Move to fresh air. Obtain medical attention if necessary.

First-aid measures after skin contact : Rinse skin with plenty of water or shower. If skin irritation persists, take medical advice.

First-aid measures after eye contact : Irrigate copiously with clean, fresh water for at least 15 minutes, holding the eyelids apart. If

irritation persists, consult a doctor.

First-aid measures after ingestion : Drink plenty of water. Do not induce vomiting. Call a doctor.

## 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries : Not expected to present a significant hazard under anticipated conditions of normal use.

Symptoms/injuries after inhalation : May cause respiratory irritation.

Symptoms/injuries after skin contact : Contact during a long period may cause slight irritation.

29/05/2015 EN (English) 2/8

## Safety Data Sheet

according to Regulation (EC) No. 453/2010

Symptoms/injuries after eye contact : Irritating to eyes.

Symptoms/injuries after ingestion : Ingestion may cause nausea, vomiting and diarrhea.

#### 4.3. Indication of any immediate medical attention and special treatment needed

No supplementary information available.

## **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

Suitable extinguishing media : Foam, powder, carbon dioxide (CO2), water spray.

Unsuitable extinguishing media : None.

## 5.2. Special hazards arising from the substance or mixture

Fire hazard : Non combustible.

Explosion hazard : No dangerous reactions known.

#### 5.3. Advice for firefighters

Precautionary measures fire : Wear suitable respiratory equipment in case of insufficient ventilation.

Firefighting instructions : No special precautions required.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

## **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Protective equipment : No special required clothing. Emergency procedures : Clean spills promptly.

#### 6.1.2. For emergency responders

Protective equipment : No special required clothing.

Emergency procedures : Ventilate area.

### 6.2. Environmental precautions

Not in groundwater, surfacewater or sewerage.

## 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Collect spillage. Sweep up or shovel.

## 6.4. Reference to other sections

Concerning personal protective equipment to use, see section 8.

## **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

Precautions for safe handling : No specific measures are necessary.

Hygiene measures : Wash hands thoroughly after handling.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Protect from moisture. Keep out of reach of children.

Storage area : Store tightly closed in a dry and cool place.

#### 7.3. Specific end use(s)

Laundry Powder.

## **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

No additional information available

29/05/2015 EN (English) 3/8

## Safety Data Sheet

according to Regulation (EC) No. 453/2010

#### 8.2. **Exposure controls**

Materials for protective clothing : No special required clothing

Hand protection : In case of repeated or prolonged contact wear gloves.

> Hand protection: The glove material has to be impermeable and resistant to the product/the substance/the preparation. When choosing the glove material, take account of the permeation times, the degree of permeability and the breakdown rate.

> Glove material: Choosing a suitable glove is not just about the material, other quality features also come into play and these differ from manufacturer to manufacturer. Given the product is composed from several substances, the durability of the glove material cannot be calculated in advance and therefore it has to be tested before use. Always seek advice from the manufacturer of the gloves.

> Hygiene: Contaminated gloves should be replaced. Personal hygiene is an essential condition to ensure proper care of the hands. Gloves should only be worn when hands are clean. Hands should be thoroughly washed and dried after having worn gloves.

> Permeation time of the glove material: The manufacturer of the glove can inform you of the exact permeation time; take account of this. According to DIN EN 374, when there is hand contact with the product and that contact was for a period of 15 minutes, then the gloves of the following material offer sufficient protection.

- Butvl rubber (thickness > 0.5 mm) Nitril rubber (thickness > 0.35 mm)
- Polychloroprene rubber (thickness > 0.4 mm)
- Natural rubber (thickness > 0.5 mm)

For continuous contact, we recommend gloves with a breakthrough time of at least 240 minutes, where preference lies with a breakthrough time of more than 480 minutes.

Protection against splashes: The same gloves used for long term contact should be worn for short term contact or protection against splashes. A shorter breakthrough time can be acceptable when it is just used for a timely replacement.

Eye protection : In case of repeated or prolonged contact use safety glasses

Skin and body protection : not necessary Respiratory protection : not necessary

#### **SECTION 9: Physical and chemical properties**

## Information on basic physical and chemical properties

Physical state : Solid Appearance Powder.

Colour : White. with blue speckles.

perfumed. Odour No data available Odour threshold No data available pН : 10 - 10,4 (1g/100ml) pH solution : No data available Relative evaporation rate (butylacetate=1) Melting point No data available Freezing point No data available Boiling point : No data available Flash point Not flammable No data available Auto-ignition temperature Decomposition temperature No decomposition

Flammability (solid, gas) Vapour pressure No data available Relative vapour density at 20 °C No data available No data available Relative density : 750 - 850 a/l Density Solubility Water: complete No data available Log Pow No data available Viscosity, kinematic Viscosity, dynamic : No data available : No data available Explosive properties

Contains oxidizing components. Not oxidizing. Regulation EC 440/2008 / A.17 Oxidizing Oxidising properties

properties (solids).

: Non flammable

No data available Explosive limits

29/05/2015 EN (English) 4/8

## Safety Data Sheet

according to Regulation (EC) No. 453/2010

#### 9.2 Other information

No additional information available

## **SECTION 10: Stability and reactivity**

#### Reactivity

No dangerous reactions known.

#### **Chemical stability** 10.2.

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

None.

#### 10.4. **Conditions to avoid**

Do not mix with other products.

#### Incompatible materials

No additional information available

#### Hazardous decomposition products 10.6.

None.

## **SECTION 11: Toxicological information**

#### Information on toxicological effects 11.1.

Acute toxicity

Based on available data, the classification criteria are not met

sodium carbonate (497-19-8)	
LD50 oral rat	2800 mg/kg
LD50 dermal rabbit	≥ 2000 mg/kg
LC50 inhalation rat (mg/l)	2,3 mg/l/4h
SODIUM CARBONATE PEROXIDE (1563	30-89-4)
LD50 oral rat	1034 mg/kg
LD50 dermal rabbit	≥ 2000 mg/kg
SODIUM SILICATE (1344-09-8)	
LD50 oral rat	1300 - 2200 mg/kg
C12-15 PARETH-7 (68131-39-5)	
LD50 oral rat	500 - 2000 mg/kg
SODIUM DODECYLBENZENESULFONA	TE (68411-30-3)
LD50 oral rat	2000 - 5000 mg/kg
LDE0 dormal rat	< 2000 mg/kg

LD50 dermal rat ≤ 2000 mg/kg Skin corrosion/irritation : Not classified

Serious eye damage/irritation : Causes serious eye irritation.

Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified : Not classified Carcinogenicity Reproductive toxicity : Not classified Specific target organ toxicity (single exposure) : Not classified Specific target organ toxicity (repeated : Not classified

exposure)

Aspiration hazard : Not classified

Other information : Likely routes of exposure: ingestion, inhalation, skin and eye.

## **SECTION 12: Ecological information**

1	2.1	١.	To	xicit	y

: No known adverse effects on the functioning of water treatment plants under normal use Ecology - general

conditions as recommended.

Ecology - water The surfactants in this product comply with the biodegradability criteria as laid down in Regulation (EC) no.648/2004 on detergents. Data to support this assertion are held at the

disposal of the competent authorities of the Member States and will be made available to them at their direct request or at the request of a detergent manufacturer.

sodium carbonate (497-19-8)

LC50 fishes 1	(96h) 300 mg/l Lepomis macrochirus	
29/05/2015	EN (English)	5/8

## Safety Data Sheet

according to Regulation (EC) No. 453/2010

sodium carbonate (497-19-8)	
EC50 Daphnia 1	(48h) 227 mg/l Ceriodaphnia dubia
SODIUM CARBONATE PEROXIDE (15630-89-4	
LC50 fishes 1	(96h) 70,7 mg/l Pimephales promelas
EC50 Daphnia 1	(48h) 4,9 mg/l Daphnia pulex
NOEC chronic fish	(96h) 7,4 mg/l Primaphales promelas
NOEC chronic crustacea	(48h) 2 mg/l Daphnia pulex
C12-15 PARETH-7 (68131-39-5)	
LC50 fishes 1	(96h) 5 (1 - 10) mg/l brachydanio rerio
EC50 Daphnia 1	(48h) 5 (1 - 10) mg/l Daphnia magna
EC50 other aquatic organisms 1	(72h) 5 (1 - 10) mg/l Scenedesmus subspicatus
SODIUM DODECYLBENZENESULFONATE (68411-30-3)	
LC50 fishes 1	(96h) 10 (1 - 10) mg/l Cyprinus carpio
EC50 Daphnia 1	(48h) 10 (1 - 10) mg/l Daphnia magna
EC50 other aquatic organisms 1	(72h) 100 (10 - 100) mg/l Scenedesmus subspicatus
EC50 other aquatic organisms 2	(17h) 63 mg/l Pseudomonas putida

## 12.2. Persistence and degradability

NATIONWIDE C&C BIO 800-300-7500	
Persistence and degradability	Not established.

## 12.3. Bioaccumulative potential

NATIONWIDE C&C BIO 800-300-7500	
Bioaccumulative potential	Not established.

## 12.4. Mobility in soil

No additional information available

## 12.5. Results of PBT and vPvB assessment

### NATIONWIDE C&C BIO 800-300-7500

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

#### 12.6. Other adverse effects

Additional information : No other effects known. Avoid release to the environment

## **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

Regional legislation (waste) : Disposal must be done according to official regulations.

Waste disposal recommendations : Dispose of contents/container to local regulations.

Ecology - waste materials : Avoid release to the environment.

## **SECTION 14: Transport information**

In accordance with ADR / RID / IMDG / IATA / ADN

## 14.1. UN number

Not regulated for transport

### 14.2. UN proper shipping name

Proper Shipping Name (ADR) : Not applicable
Proper Shipping Name (IMDG) : Not applicable
Proper Shipping Name (IATA) : Not applicable
Proper Shipping Name (ADN) : Not applicable
Proper Shipping Name (RID) : Not applicable

## 14.3. Transport hazard class(es)

**ADR** 

Transport hazard class(es) (ADR) : Not applicable

IMDG

Transport hazard class(es) (IMDG) : Not applicable

IATA

Transport hazard class(es) (IATA) : Not applicable

ADN

29/05/2015 EN (English) 6/8

## Safety Data Sheet

according to Regulation (EC) No. 453/2010

Transport hazard class(es) (ADN) : Not applicable

RID

Transport hazard class(es) (RID) : Not applicable

14.4. Packing group

Packing group (ADR) : Not applicable
Packing group (IMDG) : Not applicable
Packing group (IATA) : Not applicable
Packing group (ADN) : Not applicable
Packing group (RID) : Not applicable

14.5. Environmental hazards

Dangerous for the environment : No Marine pollutant : No

Other information : No supplementary information available

14.6. Special precautions for user

14.6.1. Overland transport

14.6.2. Transport by sea

14.6.3. Air transport

14.6.4. Inland waterway transport

Not subject to ADN : No

14.6.5. Rail transport

Carriage prohibited (RID) : No

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

### **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### 15.1.1. EU-Regulations

Contains no substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Detergent Regulation : Labelling of contents:

3	
Component	%
Oxygen-based bleaching agents, Zeolites	5-15%
Non-ionic surfactants, Phosphonates, Anionic surfactants, Soap	<5%
Enzymes (protease, amylase, lipase), Optical brighteners, Perfumes	

## 15.1.2. National regulations

No additional information available

## 15.2. Chemical safety assessment

No additional information available

29/05/2015 EN (English) 7/8

## Safety Data Sheet

according to Regulation (EC) No. 453/2010

## **SECTION 16: Other information**

Training advice : Normal use of this product shall imply use in accordance with the instructions on the packaging.

Other information : None.

Full text of R-, H- and EUH-phrases:

-uii text of R-, n- and Eun-phrases.	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Ox. Sol. 3	Oxidising Solids, Category 3
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H272	May intensify fire; oxidiser
H302	Harmful if swallowed
H315	Causes skin irritation
H318	Causes serious eye damage
H319	Causes serious eye irritation
H335	May cause respiratory irritation
H412	Harmful to aquatic life with long lasting effects
R22	Harmful if swallowed
R36	Irritating to eyes
R37/38	Irritating to respiratory system and skin
R38	Irritating to skin
R41	Risk of serious damage to eyes
R8	Contact with combustible material may cause fire
0	Oxidising
Xi	Irritant
Xn	Harmful

## SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

29/05/2015 EN (English) 8/8