

# Nationwide C&C FURNITURE POLISH [11170]

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010 Date of issue: 04/04/2017 Revision date: 08/09/2015

Version: 10.1

Di	ate of issue: 04/04/2017	Revision date: 08/09/2015	: Version: 10.1
C&C FURNITURE POLISH [	1170]		1117
SECTION 1: Identification of the	e substance/mixture a	nd of the company/undertaki	na
1.1. Product identifier			
Product form	: Mixture		
Product name	: C&C FURNITURE	POLISH [11170]	
Product code	: 11170		
Type of product	: Aerosol		
Vaporizer	: Aerosol		
1.2. Relevant identified uses of the	substance or mixture and	uses advised against	
1.2.1. Relevant identified uses			
Main use category	: Professional use		
Industrial/Professional use spec	: For professional u	se only	
Use of the substance/mixture	: Furniture polish		
1.2.2. Uses advised against			
No additional information available			
1.3. Details of the supplier of the s	afety data sheet		
NATIONWIDE HYGIENE SUPPLIES	CHESTERFIELD, DE	ENE SUPPLIES LTD, PEAK BUSINESS PAF RBYSHIRE, S41 9RF, UNITED KINGDOM Fax: 0844 499 6382 Email: sales@nation	
1.4. Emergency telephone numbe	r		
	Mon to Fri 8.30am	to 5.00pm - 0844 499 6380	
SECTION 2: Hazards identificat	ion		
2.1. Classification of the substand	e or mixture		
Full text of classification categories and H	statements : see section 16		
2.2. Label elements			
Labelling according to Regulation (EC) Hazard pictograms (CLP)	No. 1272/2008 [CLP]		
Signal word (CLP)	: Danger		
Hazard statements (CLP)	: H222 - Extremely	flammable aerosol d container: May burst if heated	
Precautionary statements (CLP)	: P210 - Keep away smoking P211 - Do not spra P251 - Do not pier	from heat, hot surfaces, sparks, open ay on an open flame or other ignition so ce or burn, even after use ect from sunlight. Do not expose to tem	burce
EUH phrases		s 5-Chloro-2-methyl-2H-isothiazol-3-on	
2.3. Other hazards			
No additional information available			
SECTION 3: Composition/inform	nation on ingredients		
3.1. Substance			
Not applicable			

Mixture 3.2.

according to Regulation (EC) No. 1907/2006 (REACH) with its amer

Name	Product identifier	%	Classification according to Directive 67/548/EEC	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Hydrocarbons, C10-13, n-alkanes, isoalkanes, cyclics, < 2% aromatics	(CAS No) 64742-48-9 (EC no) 918-481-9 (EC index no) 649-327-00-6 (REACH-no) 01- 2119457273-39	15 - 30	R10	Flam. Liq. 3, H226 Asp. Tox. 1, H304
butane substance with national workplace exposure limit(s) (DK, GB, IE)	(CAS No) 106-97-8 (EC no) 203-448-7 (EC index no) 601-004-00-0	15 - 30	F+; R12	Flam. Gas 1, H220 Press. Gas
propane substance with national workplace exposure limit(s) (DK, IE)	(CAS No) 74-98-6 (EC no) 200-827-9 (EC index no) 601-003-00-5	5 - 15	F+; R12	Flam. Gas 1, H220

.

Full text of R- and H-phrases: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Get medical advice/attention if you feel unwell.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash with plenty of soap and water.
First-aid measures after eye contact	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Do NOT induce vomiting. Rinse mouth. Drink plenty of water. Get medical advice/attention.
4.2. Most important symptoms and effect	ts, both acute and delayed
Symptoms/injuries	: Not expected to present a significant hazard under anticipated conditions of normal use.
Symptoms/injuries after inhalation	: May cause respiratory irritation.
Symptoms/injuries after skin contact	: Repeated exposure may cause skin dryness or cracking.
Symptoms/injuries after eye contact	: Causes eye irritation.
Symptoms/injuries after ingestion	: May cause a light irritation of the linings of the mouth, throat, and gastrointestinal tract.
	attention and special treatment needed
Treat symptomatically.	
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Carbon dioxide. Dry powder. Foam.
5.2. Special hazards arising from the sub	ostance or mixture
Fire hazard	: Extremely flammable aerosol.
Explosion hazard	: Explosion risk in case of fire.
	Lies weter apreviar for far scaling eveneed containers
Firefighting instructions	: Use water spray or fog for cooling exposed containers.
<b>SECTION 6: Accidental release meas</b>	sures
6.1. Personal precautions, protective equ	uipment and emergency procedures
General measures	: Remove ignition sources.
6.1.1. For non-emergency personnel	
Emergency procedures	: Evacuate unnecessary personnel.
6.1.2. For emergency responders	
Protective equipment	: Use personal protective equipment as required.
6.2. Environmental precautions	
Avoid release to the environment.	
6.3. Methods and material for containme	
For containment	: Collect spillage.
Methods for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.
6.4. Reference to other sections	
For further information refer to section 8: "Exposu	are controls/personal protection". For further information refer to section 13.
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed	: Pressurized container: Do not pierce or burn, even after use.
•	
Document generated @ 04/04/2017 18:50:06	Page 2 of 7

according to Regulation (EC) No. 1907/2006 (REACH) with its amer

Precautions for safe handling	: Do not spray on an open flame or other ignition source.
Hygiene measures	: Do not eat, drink or smoke when using this product.
7.2. Conditions for safe storage,	including any incompatibilities
Technical measures	: Does not require any specific or particular technical measures.
Storage conditions	<ul> <li>Keep away from ignition sources. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.</li> </ul>
Incompatible products	: Oxidizing agent. Strong acids. Strong bases.
Incompatible materials	: Direct sunlight. Heat sources. Sources of ignition.
Special rules on packaging	: Keep only in original container.
7.3. Specific end use(s)	

.

No additional information available

## SECTION 8: Exposure controls/personal protection

8.1.	Control	parameters

propane (74-98-6)		
Denmark	Local name	Propan
Denmark	Grænseværdie (langvarig) (mg/m3)	1800 mg/m <sup>3</sup>
Denmark	Grænseværdie (langvarig) (ppm)	1000 ppm
Ireland	Local name	Propane
Ireland	OEL (8 hours ref) (ppm)	1000 ppm
Ireland	Notes (IE)	Asphx
butane (106-97-8)		
Denmark	Local name	n-Butan
Denmark	Grænseværdie (langvarig) (mg/m3)	1200 mg/m <sup>3</sup>
Denmark	Grænseværdie (langvarig) (ppm)	500 ppm
Ireland	Local name	Butane
Ireland	OEL (8 hours ref) (ppm)	1000 ppm
United Kingdom	Local name	Butane
United Kingdom	WEL TWA (mg/m³)	1450 mg/m³
United Kingdom	WEL TWA (ppm)	600 ppm
United Kingdom	WEL STEL (mg/m <sup>3</sup> )	1810 mg/m <sup>3</sup>
United Kingdom	WEL STEL (ppm)	750 ppm
United Kingdom	Remark (WEL)	Carc, (only applies if Butane contains more than 0.1% of buta-1,3-diene)

8.2. Exposure controls	
Materials for protective clothing	: Not required for normal conditions of use
Hand protection	: In case of repeated or prolonged contact wear gloves
Eye protection	: Not required for normal conditions of use
Skin and body protection	: Not required for normal conditions of use
Respiratory protection	: Not required for normal conditions of use

SECTION 9: Physical and chemical properties		
9.1. Information on basic physical and	nd chemical properties	
Physical state	: Liquid	
Appearance	: Aerosol.	
Colour	: white.	
Odour	: Floral.	
Odour threshold	: No data available	
рН	: No data available	
Relative evaporation rate (butylacetate=1)	: No data available	
Melting point	: No data available	
Freezing point	: No data available	
Boiling point	: No data available	

11170

according to Regulation (EC) No. 1907/2006 (REACH) with its amer

	- /
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: 0.8
Solubility	: No data available
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

### 9.2. Other information

No additional information available

_	
SECT	ION 10: Stability and reactivity
10.1.	Reactivity
Pressu	rised container: May burst if heated.
10.2.	Chemical stability
Stable	under normal conditions.
10.3.	Possibility of hazardous reactions
No add	itional information available
10.4.	Conditions to avoid
Direct s	sunlight. Heat. Open flame.
10.5.	Incompatible materials
No add	itional information available
10.6.	Hazardous decomposition products

No additional information available

SECTION 11: Toxicological information		
11.1. Information on toxicological effects	\$	
Acute toxicity	: Not classified	
Skin corrosion/irritation	: Not classified	
Serious eye damage/irritation	: Not classified	
Respiratory or skin sensitisation	: Not classified	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
Reproductive toxicity	: Not classified	
Specific target organ toxicity (single exposure)	: Not classified	
Specific target organ toxicity (repeated exposure)	: Not classified	
Aspiration hazard	: Not classified	
WAX FREE FURNITURE POLISH		
Vaporizer	Aerosol	

## **SECTION 12: Ecological information**

12.1. Toxicity

Hydrocarbons, C10-13, n-alkanes, isoalkanes, cyclics, < 2% aromatics (64742-48-9)		
LC50 fishes 1	> 1000 mg/l	
EC50 other aquatic organisms 1	> 1000 mg/l EC50 waterflea (48 h)	
EC50 other aquatic organisms 2	> 1000 mg/l IC50 algea (72 h) mg/l	

#### 12.2. Persistence and degradability

No additional information available

C&C FURNITURE POLISI	+ [11170]	11170
Safety Data Sheet		
according to Regulation (EC) No. 1907/2006 (REACI	H) with its amer	
12.3. Bioaccumulative potential		
No additional information available		
12.4. Mobility in soil		
No additional information available		
12.5. Results of PBT and vPvB assess	sment	
No additional information available		
12.6. Other adverse effects		
No additional information available		
SECTION 13: Disposal considerate	tions	
13.1. Waste treatment methods		
Waste disposal recommendations	: Do not pierce or burn, even after use.	
SECTION 14: Transport information	on	
In accordance with ADR / RID / IMDG / IATA	/ ADN	
14.1. UN number		
UN-No. (ADR)	: 1950	
UN-No. (IMDG)	: 1950	
UN-No.(IATA)	: 1950	
14.2.UN proper shipping nameProper Shipping Name (ADR)	: AEROSOLS	
Proper Shipping Name (IMDG)	: AEROSOLS	
Proper Shipping Name (IATA)	: AEROSOLS, FLAMMABLE	
Transport document description (ADR)	: UN 1950 AEROSOLS, 2.1, (D)	
Transport document description (IMDG)	: UN 1950 AEROSOLS, 2.1	
14.3. Transport hazard class(es)		
ADR		
Transport hazard class(es) (ADR) Danger labels (ADR)	: 2.1 : 2.1	
	:	
	2	
	•	
IMDG		
Transport hazard class(es) (IMDG)	: 2.1	
Danger labels (IMDG)	: 2.1	
	· ·	
	2	
	•	
ΙΑΤΑ		
Transport hazard class(es) (IATA)	: 2.1	
Hazard labels (IATA)	: 2.1	
	:	
	2	

14.4. Packing group	
Packing group (ADR)	: Not applicable
Packing group (IMDG)	: Not applicable
Packing group (IATA)	: Not applicable
14.5. Environmental hazards	
Dangerous for the environment	: No
Marine pollutant	: No
Other information	: No supplementary information available
14.6. Special precautions for user	
• Overland transport	
Classification code (ADR)	: 5F
Special provisions (ADR)	: 190, 327, 344, 625
_imited quantities (ADR)	: 1L
Excepted quantities (ADR)	: E0
Packing instructions (ADR)	: P207, LP02
Special packing provisions (ADR)	: PP87, RR6, L2
Vixed packing provisions (ADR)	: MP9
Transport category (ADR)	: 2
Special provisions for carriage - Packages (ADR)	: V14
Special provisions for carriage - Loading, unloading and handling (ADR)	: CV9, CV12
Special provisions for carriage - Operation (ADR)	: S2
Tunnel restriction code (ADR)	: D
· Transport by sea	
Special provisions (IMDG)	: 63, 190, 277, 327, 344, 959
_imited quantities (IMDG)	: SP277
Excepted quantities (IMDG)	: E0
Packing instructions (IMDG)	: P207, LP02
Special packing provisions (IMDG)	: PP87, L2
EmS-No. (Fire)	: F-D
EmS-No. (Spillage)	: S-U
Stowage category (IMDG)	: None
Air transport	
PCA Excepted quantities (IATA)	: E0
PCA Limited quantities (IATA)	: Y203
PCA limited quantity max net quantity (IATA)	: 30kgG
PCA packing instructions (IATA)	: 203
PCA max net quantity (IATA)	: 75kg
CAO packing instructions (IATA)	: 203
CAO max net quantity (IATA)	: 150kg
Special provisions (IATA)	: A145, A167, A802
ERG code (IATA)	: 10L

IBC code

: Not applicable.

**SECTION 15: Regulatory information** 

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no substances with Annex XVII restrictions Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances

**C&C FURNITURE POLISH [11170]** 

#### 15.1.2. National regulations

11170

C&C FURNITURE	POLISH [11170]
---------------	----------------

according to Regulation (EC) No. 1907/2006 (REACH) with its amer

#### Germany

Germany	
VwVwS Annex reference	: Water hazard class (WGK) 1, slightly hazardous to water (Classification according to VwVwS, Annex 4)
12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV	: Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

#### Denmark

**Recommendations Danish Regulation** 

: Young people below the age of 18 years are not allowed to use the product

15.2. Chemical safety assessment

No additional information available

## **SECTION 16: Other information**

#### Full text of R-, H- and EUH-phrases:

Aerosol 1	Aerosol, Category 1
Asp. Tox. 1	Aspiration hazard, Category 1
Flam. Gas 1	Flammable gases, Category 1
Flam. Liq. 3	Flammable liquids, Category 3
Press. Gas	Gases under pressure
H220	Extremely flammable gas
H222	Extremely flammable aerosol
H226	Flammable liquid and vapour
H229	Pressurised container: May burst if heated
H304	May be fatal if swallowed and enters airways
EUH208	Contains . May produce an allergic reaction

SDS EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product